

To control General Household Pests Indoors and around the exterior perimeter of residential, institutional, public, commercial, and industrial buildings.

EPA Reg. No. 8033-96-279 Active Ingredient: Acetamiprid	EPA Est. No. 279-NY-1 By Wt.
Chellillill	and the control
Inert Ingredients:	100.00 %

^{*}Cls Isomers 97% minimum, trans leomers 3% meximum.

KEEP OUT OF REACH OF CHILDREN CAUTION



FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia PA 19103

Net Weight: 0.3 ounce water soluble bags

FIRST AID	
ll swallowed	Call poison control center or doctor immediately for treatment activing. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person
II Inhaled	Move person to tresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth. If possible, Call a poison control center or declor for further treatment advice.
If on skin or alothing	Take oit contaminated clothing. Hitnes skin immodistely with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice,
If in eyes	Hold one open and rines slowly and ganity with water for 15-20 minutes. Flemove contact lenses, if present, after the first 5 minutes, then continue dissing sys. Cell a polson control center or doctor for treatment advice.
-	HOTLINE NUMBER

Have the product container or label with you when calling a poison control renter or doctor, or going for treatment. You may also contact 1-(800)-331-3148 for Emergency

NOTE TO PHYSICIAN

This product contains a pyrathroid, if large emounts have been ingested, the stomach and intestino should be evacuated. Treatment is symptomatic and supportive. Digestible fets, oils, or sloobed may increase absorption and so should be avoided. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

For information Regarding the Use of this Product Call 1-800-321-1FMC (1362).

PRECAUTIONARY STATEMENTS Hazards to Humans (and Domestic Animals)

Harmful if awallowed, inhaled or absorbed through akin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Hemove contaminated clothing and wash

before reuse.

All pesticide handlers (mixers, loaders and applicators) must wear long-sleaved shirt and long pants, socks, shoes and chemical-resistant gloves. After the product is diluted in accordance with label directions for use, and/or when mixing and loading using a closed spray tank transfer system (such as U-Turn®), or an in-line injector system, shirt, pants, socks, shoes and water-proof gloves are sufficient. In addition, all pesticide handlers must wear a respiratory protection device when working in a non-vantilated space. All posticide handlers must wear proteotive eyewear when working in non-ventilated space.

Use one of the following NIOSH approved respirator with any R. P or HE filter or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R. P or HE prefilter.

canister with any B, P or ME prefilter.

When treating adjacent to an existing structure, the applicator must check the area to be treated, as well as immediately adjacent areas of the structure, for visible and accessible pracks and holes to prevent any leaks or significant exposures to persons occupying the structure any leaks or significant exposures to persons occupying the structure to residing in the structure during application must be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application sits. Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean up is completed.