

[Text in brackets [] indicates optional language or language intended for explanatory purposes to facilitate label review. Thus, this language will often not appear on final printed labeling.]

[MASTER LABEL]

[Sublabel A: Residential/Retail Labeling]

[Sublabel B: Commercial/Professional/Agricultural Labeling]

[Sublabel C: Mosquito Larvae Control]

[Sublabel A: Residential/Retail Labeling]

MOSQUITO BITS®

[Alternate Brand Name: Summit® *B.t.i.* Granules]

[OPTIONAL MARKETING LANGUAGE, SYMBOLS & GRAPHICS: SEE LAST FEW PAGES]

ACTIVE INGREDIENT:

Bacillus thuringiensis subsp. *israelensis*, Strain SUM-6218

solids, spores, and insecticidal toxins* 2.86%

OTHER INGREDIENTS 97.14%

TOTAL 100.00%


*Potency: 200 *Aedes aegypti* Units per mg (91 million *Aedes aegypti* Units per lb.) of product. The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions for use

From the Manufacturer of Summit® *B.t.i.* Briquets/Mosquito Dunks®
Made in the U.S.A.

Net Weight: 8 oz., 1 lb. 14 oz., 5 lb., 8 lb., 10 lb. or 20 lb.; EPA Reg. No. 6218-86; Batch No. XXXX; EPA Est. No. 6218-MD-2



FIRST AID	
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open, and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER Have the product container or label with you when calling a poison control center or doctor or when going for treatment. For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Time. In the event of a medical emergency, call your poison control center at 1-800-222-1222.	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS
For outdoor fungus gnat uses only: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. For application of granules directly to soil or growing media, sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area will help to prevent runoff to water bodies or drainage systems. For application using water, rinsing application equipment over the treated area will help to avoid runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

In New York State, for use in containerized waters with no outflow to the natural environment.

Do not apply directly to treated, finished drinking water reservoirs.

MOSQUITO LARVAE CONTROL

GENERAL INFORMATION

MOSQUITO BITS® are a highly selective biopesticide effective against mosquito larvae in a variety of habitats. When spread over the surface of standing water, **MOSQUITO BITS®** release a biological mosquito larvicide into the water. This larvicide gradually settles in the water where it is eaten by mosquito larvae growing there. **MOSQUITO BITS®** may be used in all types of standing water sites where mosquito larvae grow. **MOSQUITO BITS®** will give a quick kill within 24 hours and can control for up to 14 days in water of low to moderate organic content. Employ a 7-day to 14-day interval between applications. For more residual, long-term control, consider using **DUNKS®** or **Summit® B.t.i. Mosquito Briquets®** after applying **MOSQUITO BITS®**.

USE AROUND THE HOUSEHOLD

For smaller areas of standing water found around the home, evenly sprinkle 1 teaspoon of **MOSQUITO BITS®** per 25 square feet of water or 1 tablespoon of **MOSQUITO BITS®** per 75 square feet of water. For larger areas of standing water around the home, use 4 ounces of **MOSQUITO BITS®** per 1,000 square feet of water for relatively clean water and a higher application rate of 8 ounces per 1,000 square feet for water with greater organic content, deep water, and/or polluted water and when larger mosquito larvae are present. Apply **MOSQUITO BITS®** uniformly. Apply every 7 days at the higher rate when there are abundant mosquito larvae and when the water has suspended or settled organic matter content. Apply every 14 days at the lower rate when there are few mosquito larvae and there is little organic matter in the water. **MOSQUITO BITS®** may be applied to areas that contain aquatic life, fish, and plants and to areas used by or in contact with humans, animals, horses, livestock, pets, birds, or wildlife.

APPLY TO STANDING WATER AROUND HOMES AND RESIDENTIAL PROPERTIES, SUCH AS THE FOLLOWING SITES:

- water gardens and pools
- flower pots and saucers
- funeral urns
- rain barrels and other water storage containers
- animal watering troughs
- roof gutters
- bird baths
- unused cisterns
- tree holes
- bromeliads or “pitcher plants” that hold water
- ditches
- unused swimming pools
- old automobile tires
- woodland pools and any stagnant water where mosquito larvae occur

[AQUAPONICS AND HYDROPONICS]

[Aquaponics is aquaculture (raising fish) and hydroponics (the soilless growing of plants) that grows fish and plants together in an integrated system. Hydroponics is growing plants without soil, using mineral nutrient solutions in a water solvent. At times, both aquaponics and hydroponics result in conditions that are favorable to mosquito larval growth. Because of the nutrients present in water used for both, use the higher application rate and more frequent application interval for **MOSQUITO BITS®** for mosquito larvae control (described in the “USE AROUND THE HOUSEHOLD” section above).]

FUNGUS GNAT LARVAE CONTROL

Fungus gnats are common pest problems, especially with high organic and moisture content in growing media or soil. For use in growing media or soil of house, garden, and landscape plants and home mushroom beds.

Application to soil or growing media: Sprinkle or spread MOSQUITO BITS® evenly at 0.5 ounce (1 tablespoon) per 1 square foot of soil or growing media in both large and small indoor and outdoor landscaping or garden areas and home mushroom beds. Use 1-2 teaspoons of MOSQUITO BITS® in small pots (6 inches or less in diameter) and 1 tablespoon of MOSQUITO BITS® in large pots (greater than 6 inches in diameter). Water in MOSQUITO BITS® after treatment. If fungus gnats reappear within 3 weeks, repeat treatment and water in.

For use in water: Mix 4 tablespoons of MOSQUITO BITS® per 1 gallon of water. Soak for 30 minutes and skim off the floating granules. (Granules may be placed in a nylon stocking prior to immersion in water.) Stir or shake the water then apply treated water directly to soil or growing media surface, enough to sufficiently wet the soil surface. Compost or discard used granules in trash, and discard nylon stocking, if used, in trash. This treatment controls fungus gnat larvae present in the soil at the time of application. Repeat weekly for three weeks. Repeat treatment again if fungus gnats reappear.

STORAGE AND DISPOSAL	
Do not contaminate water, food, or feed by storage or disposal.	
PESTICIDE STORAGE:	Keep in original container. Store away from direct sunlight, feed, or foodstuffs in a cool, dry, and well-ventilated place. Keep container tightly sealed when not in use.
PESTICIDE DISPOSAL AND CONTAINER HANDLING:	Nonrefillable container. Do not reuse or refill this container. IF EMPTY: Place in trash or offer for recycling, if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO USER: To the extent consistent with applicable law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on this label. User assumes all risks of use, storage, or handling not in accordance with label instructions.

Summit®

...responsible solutions.

235 S. Kresson Street; Baltimore, MD 21224
800-227-8664, 410-522-0661

®Registered Trademark of Summit Chemical Co.